

OCEAN BREEZE

VOXFLO[®]



Ocean Breeze 04, Ashlar



Ocean Breeze 02, 04; Ashlar



Projects



Ocean Breeze 02
Ashlar



Ocean Breeze 05
Ashlar

Projects




Projects



Ocean Breeze 06
Ashlar



Colors

Four out of eight tiles of Ocean Breeze get the accent color, while the rest present background color. Therefore, we suggest using at least 1m² of carpet for installation reference.



Specifications

Style Name:	Ocean Breeze
Construction:	Multi-level Loop
Fiber:	Voxflor Certified Nylon
Gauge:	1/12"
Stitches:	11 per inch
Average Pile Height:	4mm±0.5mm
Backing:	PVC with fiberglass
Tile size:	25cm*100cm
Area of Use:	Commercial - Heavy Duty
Antimicrobial:	Ultra-Fresh Treatment (Available)
Flammability:	ASTM E 648 Class I, GB8624-2012 B1(C)
Smoke Density:	ASTM E 662 Less than 450, GB/T 8627-1999
Static Propensity:	AATCC-134 ≤3.5kV, GB/T 18044-2008



Ultra-Fresh is a registered trademark of Thomson Research Associates, Inc.

Your color story

VOXFLO^R

www.voxflor.com

Shanghai Headquarter

T +86 021 62989325

Milano Creative Studio

T +39 3885863150

China Branch Office

Beijing/ Guangzhou/ Shenzhen/ Xiamen

T 400 021 0790

